

13. Literature Cited and Other Relevant Literature

Ackerman, B.B., S.D. Wright, R. K. Bonde, D.K. Odell and D.J. Banowetz. 1995. Trends and patterns in mortality of manatees in Florida, 1974-1992. pp.223-258. *In* O'Shea, T.J., B.B. Ackerman and H. F. Percival, Eds., Population Biology of the Florida Manatee. Information and Technology Report 1.

Anon. 1980. Hydrobiological Monitoring, November 1978 through January 1980, Lower Peace River and Charlotte Harbor, Supplemental Report. Port Charlotte, Fl., 197 pp.

_____ 1981. Hydrobiological Monitoring, February 1980 through February 1981, Lower Peace River and Charlotte Harbor, Supplemental Report. Port Charlotte, Fl., 248 pp.

_____ 1982. Hydrobiological Monitoring, March 1981 through February 1982, Lower Peace River and Charlotte Harbor, Supplemental Report. Port Charlotte, Fl., 232 pp.

_____ 1983. Hydrobiological Monitoring Program Data Report for the Period from March 1982 through February 1983 Covering the Lower Peace River and Charlotte Harbor. Port Charlotte, Fl., 115 pp.

_____ 1987. Environmental and water quality considerations in relation to withdrawing freshwater from the Peace River and Myakkahatchee Creek. Tech. Mem. for General Development Utilities, Inc. 116pp., 46 figs., 22 tabs., apps. A-K.

_____ 1989. Hydrobiological Monitoring Program Data Report for the Period from March 1987 through February 1988 Covering the Lower Peace River and Charlotte Harbor. Environmental Quality Laboratory, Inc., I-x, 261 pp., 3 apps.

_____ 1992. Hydrobiological Monitoring Program - Summary Report for the Lower Peace River and Charlotte Harbor. 497pp.

Baird, D. and R.E. Ulanowicz. 1989. The seasonal dynamics of the Chesapeake Bay ecosystem. *Ecol. Monog.* 59:329-364.

Bengtson, J. L. 1981. Ecology of manatees (*Trichechus manatus*) in the St. Johns River, Florida. Ph.D. Thesis, Univ. Minnesota, Minneapolis. 126pp.

Bigelow, H.B. and W.C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fish and Wildl. Serv. *Fish. Bull.* 53:1-577.

Burton, D.T., L.B. Richardson, and C.J. Moore . 1980. Effect of oxygen reduction rate and constant low dissolved oxygen concentrations on two estuarine fish. *Trans. Am. Fish. Soc.* : 109:552-557.

Caldwell, D. K. 1957. The biology and systematics of the Finfish, *Lagodon rhomboides* Linnaeus. *Bull. Fla. St. Mus. Biol. Sci.* 2:77-173.

Carpenter, J.H., and D.G. Cargo. 1957. Oxygen requirement and mortality of the blue crab in the Chesapeake Bay. *Ches. Bay Inst. Tech. Rep.* 13 .:

Coastal Environmental. 1994a. Review and analyses of meteorological, tributary flow, and water quality data from the Charlotte Harbor estuarine system. Prepared for: Surface Water Improvement and Management Department, SWFWMD, Tampa, FL. Prepared by: Coastal Environmental, a division of PBS&J, Inc.

Coastal Environmental. 1995b. Estimates of total nitrogen, total phosphorus, and total suspended solids loadings to Charlotte Harbor, Florida. Prepared for: Surface Water Improvement and Management Department, SWFWMD, Tampa, FL. Prepared by: Coastal Environmental, a division of PBS&J, Inc.

Coastal Environmental Services, Inc. 1995. Living resource-based salinity targets for the tidal Peace river. Prepared for the Southwest Florida Water Management District. 64 pp.

Coffin, J.E. and Fletcher, W.L. 1995. Water Resources Data Florida Water year 1994. Volume 3A. Southwest Florida Surface Water. USGS Water-Data Report FL-94-3-A. Prepared in cooperation with the State of Florida and with other agencies.

Cox, J., R. Kautz, M. MacLuaghlin, and T. Gilbert. 1994. Closing the Gaps in Florida's Wildlife Habitat Conservation System. Florida Game and Freshwater Fish Commission. Tallahassee, Florida.

Crawford, C.G., R.J. Slack, and R.M. Hirsch. 1983. Nonparametric tests for trends in water-quality data using the statistical analysis system. U.S. Geol. Sur. Open File Rept. 83-550, 102pp.

Dahlberg, M.D. and E.P. Odum. 1970. Annual cycles of species occurrence, abundance, and diversity in Georgia estuarine fish populations. *American Midland Naturalist* 83 (2): 381-392.

Detwyler, R. and E.D. Houde. 1970. Food Selection by Laboratory-reared Larvae of the Scaled Sardine *Harengula pensacolae* (Pisces, Clupiede) and the Bay Anchovy *Anchoa mitchilli* (Pisces:Engraulidae). *Marine Biology* 7:214-222.

Ditty, J. G. and R. F. Shawl. 1996. Spatial and temporal distribution of larval striped mullet, *Mugil cephalus*, and white mullet, *Mugil curema* (Family: Mugilidae), in the northern Gulf of Mexico, with notes on mountain mullet, *Agonostomus monticola*. *Bulletin of Marine Science* 59:271-288.

Dixon, L.K. and J.R. Leverone. 1993. Evaluation of existing data on light requirements for the seagrasses *Thalassia testudinum* and *Halodule wrightii*. Mote Marine Laboratory Technical Report No. 291, 10pp., 3 tabs.

Dixon, L.K. and J.R. Leverone. 1993. Evaluation of existing data on light requirements for the seagrasses *Thalassia testudinum* and *Halodule wrightii*. Mote Marine Laboratory Technical Report No. 291, 10pp., 3 tabs.

Domning, D.P. and L.C. Hayek. 1986. Interspecific and intraspecific morphological variation in manatees (Sirenia: *Trichechus*). *Marine Mammal Sci.* 2:87-144

Dragovich, A., J.A. Kelly, and H.G. Goodell. 1968. Hydrological and biological characteristics of Florida's west coast tributaries: *Fishery Bulletin* 66, no. 3, pp. 463-477.

Environmental Quality Laboratory Inc. 1979. Hydrobiological Monitoring January 1976 through October 1978 - Lower Peace River and Charlotte Harbor. Port Charlotte, FL., 1: 124pp.

Estevez, E.D., J. Miller, and J. Morris. 1984. A review of scientific information: Charlotte Harbor estuarine ecosystem complex and the Peace River: Final Report to Southwest Florida Regional Planning Council. Mote laboratory. Review Series No. 3, 2 volumes. 370 p.

Estevez, E.D. 1986. Infaunal Macroinvertebrates of the Charlotte Harbor Estuarine System and Surrounding Inshore Waters, Florida. U.S. Geological Survey Water-Resources Investigations Report 85-4260, prepared in cooperation with the Florida DER 85-4260: 116.

Estevez, E.D. 1981. A review of scientific information: Charlotte Harbor (Florida) estuarine ecosystem complex. Southwest Fla. Regional Planning Council, Ft. Myers, FL., 1077pp.

Estevez, E.D. 1986. Infaunal macroinvertebrates of the Charlotte Harbor estuarine system and surrounding inshore waters, Florida. U.S. Geological Survey, Water Resources-Investigations Report, 85-4260, 116pp.

Fernald, E., and D. Patton. 1984. *Water Resources Atlas of Florida*. Florida State University.

Finucane, J.H. 1966. Faunal production project. U.S. Fish and Wildlife Service, Circular 242: 18-20.

Florida Fisheries Independent Monitoring Program (FIMP). 1990. 1990 Annual Report. Compiled by Juvenile Fish Group. FL. Mar. Res. Inst., Juvenile fish group, St. Petersburg, FL.

Florida Fisheries Independent Monitoring Program (FIMP). 1989. 1989 Annual Report. Compiled by Bob McMichael, FDNR-FMRI. St. Petersburg, FL.

Florida Natural Areas Inventory. 1990. Natural Communities of Florida. Florida Natural Areas Inventory, Tallahassee. 162 pp.

Florida Department of Natural Resources. 1983. Estero Bay Aquatic Preserve Management Plan, Tallahassee, FL. 118 p.

Fraser, T. H. 1991. The lower Peace River and Horse Creek: flow and water quality characteristics, 1976 - 1986. In: Livingston, R. J., ed. The Rivers of Florida. Ecological Studies 83, Springer-Verlag, Chap.9, pp 142-185, 12 figs., 12 tabs.

Fraser, T.H. and W.H. Wilcox. 1981. Enrichment of a subtropical estuary with nitrogen, phosphorus, and silica. Pages 481-498. in B.J. Neilson and L. E. Cronin, eds. *Estuaries and Nutrients*. Humana Press.

Fraser, T.H. 1981. Variation in freshwater inflow and changes in a subtropical estuarine fish community. Pages 296-319 in: R. Cross and D. Williams, eds. Proceedings of the National Symposium on Freshwater Inflow to Estuaries. U.S. Fish and Wildlife Service, Office of Biological Services, 1:xi+525.

Fraser, T.H. 1991. The Lower Peace River and Horse Creek: Flow and water quality characteristics, 1976-1986. Pages 143-185. in R.J. Livingston, ed. *The Rivers of Florida*. Springer-Verlag, N.Y., xi+289.

Fraser, T.H. 1986. Long-term water quality characteristics of Charlotte Harbor, U.S. Geological Survey, Water-Resources Investigations Report, 86-4180, 43pp.

Fraser, T.H. and W. H. Wilcox. 1981. Enrichment of a subtropical estuary with nitrogen, phosphorus and silica. In: Nielsen, B. and L.E. Cronin, Eds., Estuaries and Nutrients. Humana Press 481-498, 9 figs., 5 tabs.

Fraser, T.H. 1986. Long-term water quality characteristics of Charlotte Harbor, Florida. U.S. Geol. Sur., Water Resour. Invest. Rept. 86-4180:1-43, 20 figs., 15 tabs.

Fraser, T.H. 1981 Variation in freshwater inflow and changes in a subtropical estuarine fish community. In: Cross, R. and D. Williams, Eds., Proc. Nat. Symp. Freshwater Inflow Estuaries, U.S. Fish Wildlife Serv. 1:296-319, 9 figs., 8 tabs.

Froelich, P.N., L.W. Kaul, J.T. Byrd, M.O. Andrae, and K.K. Roe. 1985. Arsenic, barium, germanium, tin, dimethylsulfide, and nutrient biogeochemistry in Charlotte Harbor, Florida, a phosphorus-enriched estuary. *Estuarine, Coastal and Shelf Science*, 20: 239-264.

Froelich, P.N., L.W. Karl, J.T. Byrd, M.O. Andrae and K.K. Roe. 1985. Arsenic, barium, germanium, tin, dimethylsulfide and nutrient biogeochemistry in Charlotte Harbor, Florida, a phosphate-enriched estuary. *Estuarine, Coastal Shelf Science*. 20:239-264.

Frohlich, R.K., B.B. Ackerman and M.A. Clemons. Manatee abundance and distribution in Lee County, Florida, 1985-1985. 14pp, 10 Figs., 7 Tabs.

Frohlich, R. K., B.B. Ackerman and M.A. Clemons. Manatee Abundance and distribution in Lee County, Florida, 1984 - 1985. unpublished manuscript.

Geaghan, J.P. 1980. Distribution and diversity of fish and crustacean communities in the Cape Fear River estuary, North Carolina, 1977-1979. Ph.D. Dissertation, North Carolina State University at Raleigh, 91 pp.

Germain, G.J. 1994. Surface water quality monitoring network, South Florida Water Management District. South Florida Water Management District, June 1994 (DRE-317).

Gilmore, R.G., L.H. Bullock and F.H. Berry. 1978. Hypothermal mortality in marine fishes for south-central Florida, January 1977. *Northeast Gulf Science*. 2(2): 77-97.

Gilmore, R.G. 1987. Subtropical-tropical seagrass communities of southeastern United States: Fishes and fish communities. *Fla. Mar. Res. Publ.* No. 42. Florida.

Gilmore, R.G., L.H. Bullock and F.H. Berry. 1978. Hypothermal mortality in marine fishes for south-central Florida, January 1977. *Northeast Gulf Science*, 2 (2): 77-97.

Gunter, G., and G.E. Hall. 1965. A Biological Investigation of the Caloosahatchee Estuary of Florida. Gulf Coast Research Laboratory. 71.

Gunter, G. and G.E. Hall. 1965. A biological investigation of the Caloosahatchee estuary of Florida. Gulf Coast Research Laboratory, Report 2:1-71.

- Haddad, K.D., G.A. McGarry, F.J. Sargent, R.E. Matheson, Jr., D.A. Rydene, K.M. Peters, C.A. Friel, H.A. Norris, and T.J. Leary. 1992. Marine Resources Geographic Information System and Fishery Resources. Final Report. FL. Dept. Nat. Res. FL. Mar. Res. Inst. St. Petersburg, FL.
- Hammett, K.M. 1990. Land use, water use, streamflow characteristics, and water-quality characteristics of the Charlotte Harbor inflow area, Florida: USGS Water-supply Paper 2359, chapter A, 64 pp.
- Hammett, K.M. 1988. Land Use, Water Use, Streamflow, and Water-Quality Characteristics of the Charlotte Harbor Inflow Area, Florida. U.S. Geologic Survey Open File Report 87-472, in cooperation with the Florida Department of Environmental Regulation 87-472: 104.
- Hammett, K. M. 1988. Land use, water use, streamflow, and water-quality characteristics of the Charlotte Harbor inflow area, Florida. U. S. Geological Survey Open-File Report 87-472, 104pp., 26 figs., 29 tabs.
- Hand, J., J. and M. Paulic. 1994. Southwest Florida District water quality assessment 1994 305 (b) technical appendix. Bureau of Surface Water Management, Florida Department of Environmental Protection, November 1994.
- Hansen, D. J. 1970. Food, growth, migration, reproduction and abundance of Finfish, *Lagodon rhomboides*, and Atlantic croaker, *Micropogonias undulates*, near Pensacola, Florida, 1963-65. U.S. Fish. Bull. 681:135-146.
- Harris, Barbara A., K. D. Haddad, K. A. Steidinger and J.A. Huff. 1983. Assessment of Fisheries Habitat: Charlotte Harbor and Lake Worth. Florida Department of Natural Resources, 211pp., 32 figs, 10 tabs., maps.
- Hartman, D.S. 1979. Ecology and behavior of the manatee (*Trichechus manatus*) in Florida. Am. Soc. Mammal. Spec. Publ. 5:1-153.
- Hildebrand, S.F. 1943. A review of the American anchovies (Family Engraulidae). *Bull. Bingham Oceanogr. Collect.* Yale Univ. 8(2):1-165.
- Hirsch, R.M. and R.J. Slack. 1984. A nonparametric trend test for seasonal data with serial dependence. *Water Resources Research*, 20 (6):727-732.
- Hoese, H. D. and R. S. Jones. 1963. Seasonality of larger animals in a Texas turtle grass community. *Publ. Inst. Mar Sci. Univ. Tex.* 9:37-47.

- Hoff, J.G. and R.M. Ibara. 1977. Factors affecting the seasonal abundance, composition and diversity of fishes in a southeastern New England estuary. *Estuarine and Coastal Marine Science*, 5 (5): 665-678.
- Houde, E.D., and C.E. Zastrow. 1991. Habitat Requirements for Chesapeake Bay Living Resources.
- Huang, T.C. and H.G. Goodell. 1967. Sediments of Charlotte Harbor, southwestern Florida. *Journal of Sedimentary Petrology*, 37 (2): 449-474.
- Hunter Services Inc. 1990. Proposed Plan, Myakka Wild and Senic River Management Plan. Florida Dept. Natural Resources, Div. Recreation & Parks. 263 pp., App. A-F.
- Idyll, C. P. and W. E. Fahy. 1970. Spotted seatrout....shallow-water sport fish. Atlantic States Mar. Fish. Comm. Leaflet 13:1-4.
- Jennings, C. A. 1985. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates in the Gulf of Mexico. Sheepshead. U.S. Fish and Wildlife Service Biological Report. 10 pp.
- Johansson, J.O.R., and R.R. Lewis. 1990. Recent Improvements of Water Quality and Biological Indicators in Hillsborough Bay, A Highly Impacted Subdivision of Tampa Bay, Florida, U.S.A. The International Conference on Marine Coastal Eutrophication, Bologna (Italy), March 21-24, 1990.
- Johnson, W.S., D.M. Allen, M.V. Ogburn, S.E. Stancyk. 1990. Short-term predation responses of adult bay anchovy, *Anchoa mitchilli* to estuarine zooplankton availability. *Mar. Ecol. Prog. Ser.* 64:55-68.
- Jordan, S., C. Stenger, M. Olson, R. Batiuk, and K. Mountford. 1992. A Synthesis of Living Resource Habitat Requirements with Guidelines for Their Use in Evaluating Model Results and Monitoring Information.
- Kautz, R.S., D.T. Gilbert, and G.M. Mauldin. 1993. Vegetative Cover in Florida Based on 1985-1989 Landsat Thematic Mapper Imagery. *Florida Scientist*. 56:135-154.
- Kenworthy, W. J., M. S. Fonseca, and S.J. DiPiero. 1991. Defining the Ecological Light Compensation Point for Seagrasses *Halodule Wrightii* and *Syringodium Filiforme* from Long-Term Submarine Light Regime Monitoring in the Southern Indian River.
- Killam, K.A., R.J. Hochberg and E.C. Rzemien. 1992. Synthesis of basic life histories of Tampa Bay species. Tampa Bay National Estuary Program, Technical Publication 10-92.

Coastal Environmental. 1997. Update of nutrient and suspended solids loading estimates to Charlotte Harbor. Prepared for: Surface Water Improvement and Management Department, SWFWMD. Prepared by: Coastal Environmental, a division of PBS&J, Inc.

Koelsch, J. K. and T. D. Pitchford. 1997. Florida manatees (*Trichechus manatus latirostris*) in Charlotte Harbor. 17 pp., 7 figs., 3 tabs.

Leard, R., B. Mahmoudi, H. Blanchet, H. Lazauski, K. Spiller, M. Buchanan, C. Dyer, and W. Keithly. 1995. The striped mullet fishery of the Gulf of Mexico, United States: a regional management plan. Gulf States Marine Fisheries Commission, Number 33, Ocean Springs, Mississippi.

Lefebvre, L.W. and R. K. Frohlich. 1986. Movements of radio-tagged manatees in southwest Florida, January 1985-March 1985. U.S. Fish and Wildlife Service, unpublished report. 87 pp.

Lefebvre, L.W., T.J. O'Shea, G.B. Rathbun and R.C. Best. 1989. Distribution, status, and biogeography of the west Indian Manatee. Biogeography of the West Indies, 567-610, 12 figs.

Levesque, V.A. and K.M. Hammett. 1997. Comparison of two methods for estimating discharge and nutrient loads from tidally affected reaches of the Myakka and Peace Rivers, West-central Florida. USGS Open-File report 97-118. Prepared in cooperation with SWFWMD. 26 pp.

Lewelling, B.R. and R. W. Wylie. 1993. Hydrology and water quality of unmined and reclaimed basins in phosphate-mining areas, west-central Florida. USGS Water-Resources Investigations Report 93-4002. Prepared in cooperation with FIPR. 93 pp.

Livingston, R.J., Iverson, R.L., Estabrook, R.H., Keys, V.E., and Taylor, J. 1974. Major features of the Apalachicola Bay system: physiography, biota, and resource management. Florida Scientist, 37 (4): 245-271.

Lowery, T.A., and L.G. Tate. 1986. Effect of hypoxia on hemolymph lactate and behavior of the blue crab *Callinectes sapidus* Rathbun in the laboratory and field. Comp. Biochem. Physiol. : 85A:689-692.

Martin, J. R. and R. L. Shipp. 1971. Occurrence of juvenile snook, *Centropomus undecimalis*, in North Carolina Waters. Trans. Am. Fish. Soc. 1:131 -132.

McMichael, R. H. Jr., and K. M. Peters. 1989. Early life history of the spotted seatrout, *Cynoscion nebulosus*, Pisces: Sciaenidae, in Tampa Bay, Florida. Estuaries 122:98-110.

McMichael, R. H. Jr., K. M. Peters, and G. R. Parsons. 1989. Early life history of the snook, *Centropomus undecimalis*, in Tampa Bay, Florida. Northeast Gulf Sci. 10:113-125.

McMichael, R. 1997. Fisheries-Independent monitoring program. 1996. Annual data Summary Report. I-viii+199pp.

McNulty, J.K., W.N. Lindall, and J.E. Sykes. 1972. Cooperative Gulf of Mexico estuarine inventory and study, Florida: phase I, area description. NOAA Technical report NMFS CIRC-368, U.S. Department of Commerce, 126pp.

McNulty, J. Kneeland, Jr. W. N. Lindall, and James E. Sykes (1972) Cooperative Gulf of Mexico Estuarine Inventory and Study, Florida: Phase I, Area Description. NOAA Technical Report NMFS CIRC-368 :126pp.

McNulty, J.K., W.N. Lindall, and J.E. Sykes. 1972. Cooperative Gulf of Mexico estuarine inventory and study, Florida: phase I, area description. NOAA Technical report NMFS CIRC-368, U.S. Department of Commerce, 126pp.

McPherson, B.F., and H.R.L.A. Rose. 1982. Algal Conditions in the Caloosahatchee River (1975-79), Lake Okeechobee to Franklin Lock, Florida. United States Geological Survey Water Resources Investigations 81-81: 28.

McPherson, Benjamin F., R.T. Montgomery, and E. E. Emmons. 1990. Phytoplankton Productivity and Biomass in the Charlotte Harbor Estuarine System, Florida. Water Resources Bulletin, American Water Resources Association 26, #5: 787-800.

McPherson, B.F. and R. L. Miller. 1987. The vertical attenuation of light in Charlotte Harbor, a shallow, subtropical estuary, south-western Florida. Estuarine Coastal and Shelf Science, 25 (6): 721-737, 12 figs., 2 tabs.

McPherson, Benjamin F., and R.L. Miller. 1987. The Vertical Attenuation of Light in Charlotte Harbor, a Shallow, Subtropical Estuary, Southwestern Florida. Estuarine, Coastal and Shelf Science 25: 721-737.

McPherson, B.F. and R. L. Miller. 1994. Causes of light attenuation in Tampa Bay and Charlotte Harbor, Southwestern Florida. Water Resources Bulletin, 30 (1): 43-53, 7 figs., 4 tabs.

McPherson, B.F., R.T. Montgomery and E.E. Emmons. 1990. Phytoplankton productivity and biomass in the Charlotte Harbor estuarine system, Florida. Water Resources Bulletin, 26 (5): 787-800, 6 figs., 4 tabs.

McPherson, B.F. and R. L. Miller. 1990. Nutrient distribution and variability in the Charlotte Harbor estuarine system, Florida. Water Resources Bulletin, 26 (1): 67-80, 11figs., 4 tabs.

- Meffe, G.K. and T.M. Berra. 1988. Temporal characteristics of fish assemblage structure in an Ohio stream. *Copeia*, 1988 (3): 684-690.
- Mercer, L. P. 1984. A biological and fisheries profile of red drum, *Sciaenops ocellatus*. Spec. Sci. Rep 41, NC Dept. Nat. Resour. Community Dev. Div. Mar. Fish., Raleigh, 89 pp.
- Merriner, J. V., W. T. Hogarth, and W. A. Foster. 1970. Occurrence of the common snook, *Centropomus undecimalis*, Bloch Pisces-Centropomidae, in North Carolina waters. *Journal of the Elisha Mitchell Soc.* 86:194-195.
- Michel, John F., R. C. Work, F.W. Rose, and R.G. Rehrer (1975) A Study of the Effect of Fresh Water Withdrawal on the Lower Peace River, Desoto County, Florida. : 99.
- Miller, Jonathan, and J.Morris. 1981. Chapter IV in E.D. Estevez A Review of Scientific Information: Charlotte Harbor (Florida) Estuarine Ecosystem Complex. : 1077.
- Miller, T. H., A.C. Federico, and J.F. Milleson .1982. A Survey of Water Quality Characteristics and Chlorophyll a Concentrations in the Caloosahatchee River System, Florida. South Florida Water Management District Technical Bulletin Publication 82-4 82-4: 159.
- Montgomery, R.T., B.J. McPherson, and E.E. Emmons. 1991. Effects of nitrogen and phosphorus additions on phytoplankton production and chlorophyll in a subtropical estuary, Charlotte Harbor, Florida. U.S. Geological Survey, Water Resources Investigations Report, 91-4077, 33pp.
- Montgomery, J. L. M. and T. E. Targett. 1992. The nutritional role of seagrass in the diet of the omnivorous Finfish *Lagodon rhomboides*. *J. Exp. Mar. Biol. Ecol.* 158:37-57.
- Morrison, D., C. Marx, P. Light, P. Renault, and J. Malsi. 1989. Impact of Freshwater Discharge from Cape Coral Waterways into Matlacha Pass Aquatic Preserve. Department of Environmental Regulation Contract CM-230 CM-230: 49.
- Muller, R. G., and M. D. Murphy. 1994. Report on inshore finfish trends. Florida Marine Research Institute Report to Florida Marine Fisheries Commission. 100 pp.
- Muller, R. G. and M. D. Murphy. 1994. A stock assessment of sheepshead. Report to the Florida Marine Fisheries Commission from the Florida Marine Research Institute, St. Petersburg, FL. 62 pp.
- Muller, R. and M. D. Murphy. 1994. Stock assessment of red drum, *Sciaenops ocellatus*, in Florida. Florida Marine Research Institute Report to Florida Marine Fisheries Commission. 28 pp.

- Muller, R. G., M. D. Murphy, and M. P. Armstrong. 1996. Florida's inshore and nearshore species: Statuses and trends report. Department of Environmental Protection, Florida Marine Research Institute, St. Petersburg, Florida. 122 pp.
- Murphy, M. D. and R. G. Taylor. 1990. Reproduction, growth, and mortality of red drum, *Sciaenops ocellatus*, in Florida. Fishery Bulletin, United States. 88:531542.
- Myers, R.L. and J.J. Ewel (eds.). 1990. Ecosystems of Florida. University of Central Florida Press. 765 pp.
- Nabor, P., R.K. Frolich, and D. Carson. Manatee distribution and relative abundance in the waters of Charlotte Harbor, Florida.. Unpublished manuscript.
- National Estuary Program. 1992. Synthesis of basic life histories of Tampa Bay species. Technical Publ. 10-92, St. Petersburg, Florida, xvi+247.
- Naughton, S.P. and C.H. Saloman. 1978. Fishes of the nearshore zone of St. Andrew Bay, Florida, and adjacent coast. Northeast Gulf Science, 2 (1): 43-55.
- Norden, C.R. 1966. The seasonal distribution of fishes in Vermilion Bay, Louisiana. Wisconsin Academy of Science, Arts and Letters 55: 119-137.
- Odell, D.K. 1981. Growth of a West Indian manatee, *Trichechus manatus*, born in captivity. Pages 131-140 in R.L. Brownell and K. Ralls, eds. The West Indian Manatee in Florida. Proceedings of a workshop held in Orlando, FL, 27 - 29 March 1978. FDNR. 154pp.
- Odum, W.E. 1971. Pathways of energy flow in a south Florida estuary. Ph.D. dissertation. Univ. of Miami (Sea Grant Tech. Bull. No. 7). 162 p.
- Odum, W. E. 1970. Utilization of the direct grazing and plant detritus food chains by the striped mullet, *Mugil cephalus*. Pages 222-240 in J. J. Steele, editor. Marine food chains. Oliver and Boyd, Ltd., Edinburgh, Scotland.
- Ogren, L.H. and H.A. Brusher. 1977. The distribution and abundance of fishes caught with a trawl in the St. Andrew Bay system. Northeast Gulf Sci. 12:83-105
- Orth, R.J. and K.L. Heck, Jr. 1980. Structural components of eelgrass *Zostera marina* meadows in the lower Chesapeake Bay-Fishes. *Estuaries* 3:278-288.
- Osborne, S. W. 1979. The seasonal distribution of *Luidia clathrata* (Say) in Charlotte Harbor with reference to various physical-chemical parameters. M.S. Thesis, Florida State University, Tallahassee, Florida, 185pp., 13 figs., 10 tabs., 5 apps.

- Packard, J.M., R.K. Frohlich, J.E. Reynolds, and J. R. Wilcox. 1984. Factors influencing indices of manatee abundance in the Ft. Myers region, winter 1983/84. U. S. Fish and Wildlife Service, Rept. 5, 63 pp., 12 figs., 12 tabs., 3 append.
- Packard, J.M., R.K. Frohlich, J.E. Reynolds, III, and J.R. Wilcox. 1989. Manatee response to interruption of a thermal effluent. *J. Wildl. Manage.* 53: 692-700.
- Paulic, M., and J. Hand. 1994. Florida water quality assessment 1994 305(b) report. Florida Department of Environmental Protection, November 1994.
- Peebles, E.B. and S.E. Davis. 1989. Riverine Discharge and Estuarine Fish Nurseries: First Annual Report for the Ichthyoplankton Survey of the Little Manatee River, Florida. Department of Marine Science, University of South Florida : 18.
- Peebles, E.B. and M.S. Flannery. 1992. Fish Nursery Use of the Little Manatee River Estuary (Florida): Relationships with Freshwater Discharge.
- Peet, R.K. 1974. The measurement of species diversity. *Annual Review of Ecology and Systematics*, 5: 285-307.
- Peters, K. M. and R. H. McMichael. 1987. Early life history of the red drum, *Sciaenops ocellatus* (Pisces: Sciaenidae), in Tampa Bay, Florida. *Estuaries* 10:92-107.
- Phillips, R.C. and V.G. Springer. 1960. A report on the hydrography, marine plants, and fishes of the Caloosahatchee River area, Lee County, Florida. Florida State Board of Conservation Marine Lab. Spec. Sci. Rept. 5:1-34.
- Pitt, D.G. 1990. Land use policy: a key to ground water management, *Water Resources Information*, University of Maryland, Cooperative Extension Service. *Water Resources* 33.
- Quammen, M.L., and C.P. Onuf. 1993. Laguna Madre: Seagrass Changes Continue Decades After Salinity Reduction. *Estuaries* 16(2): p.302-310.
- Quinn, N.J. and Kojis, B.L. 1986. Annual variation in the nocturnal nekton assemblage of a tropical estuary. *Estuarine, Coastal and Shelf Science*, 22 (1): 63-90.
- Rains, L.B., and P.J. Latham. 1993. GIS modelling of land use and associated nonpoint source pollution. *American Water Resources Association*. Pp. 35-44.
- Reagan, R. E. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico). Red drum. *FWS/OBS Biol. Rep.* 82(11.36 TR EL-82-4):1 -16.

- Reynolds, J.E. and D.K. Odell. 1991. Manatees and dugongs. Facts on File, Inc., New York. 192pp.
- Reynolds, J.E. and J.R. Wilcox. 1994. Observations of florida manatees (*Trichechus manatus latirostris*) around selected power plants in winter. *Marine Mammal Science* **10**: 163-177.
- Reynolds, J.E., III, B.B. Ackerman, I.E. Beeler, B.L. Weigle, and P.F. Houhoulis. 1992. Assessment and Management of Manatees, (*Trichechus manatus*) in Tampa Bay. Proc. Bay Area Scientific Information Symposium 2, Tampa, FL 27 February-1 March 1991.
- Rivas, L. R. 1980. Synopsis of knowledge on the taxonomy, biology, distribution, and fishery of the Gulf of Mexico mullets, Pisces: Mugilidae. In: M. Flandorfer and L. Skupien editors, Proceedings of a workshop for potential fishery resources of the northern Gulf of Mexico. Mississippi-Alabama Sea Grant Consortium Publication MASGP-80-012.
- Robinette, H.R. 1983. Species Profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico) - bay anchovy and striped anchovy. USFWS/OBS-82/11.14.
- Robins, C. R., G. C. Ray, and J. Douglass. 1986. Atlantic coast fishes. Houghton Mifflin Company, Boston. 354 pp.
- Robison, D.E. 1985. Variability in the vertical distribution of ichthyoplankton in Lower Tampa Bay. In: Proceedings of Tampa Bay Area Scientific Information Symposium. S.F. Treat, J.L. Simon, R.R. Lewis, and R.L. Whitman, Jr., eds.
- Sargent, F.J., T.J. Leary, D.W. Crewz and C.R. Kruer. 1995. Scarring of Florida's seagrasses: Assessment and management options. FMRI Technical Reports TR-1. Florida Marine Institute, St. Petersburg, Florida iv+46, 24 figs., 12 tabs.
- Sarasota Bay National Estuary Program. 1992. Sarasota Bay: Framework for Action. Edited by P. Roat, C. Ciccolella, H. Smith, D. Tomasko, p. 301.
- SAS Institute, Inc., 1993. SAS/STAT user's guide, version 6, fourth edition, Cary, N.C., 2 vols., xxxvi+1686p.
- Shafland, P. L. and K. J. Foote. 1983. A lower lethal temperature for fingerling snook, *Centropomus undecimalis*. *Northeast Gulf Sci.* **6**:175-177.
- Sheridan, P.F. and R.J. Livingston. 1979. Cyclic trophic relationship of fishes in an unpolluted, river-dominated estuary in north Florida. Pages 143-161, in: R.J. Livingston, ed., *Ecological Processes in Coastal and Marine Systems*. Plenum Press, xi+548.

- Short, F.T., J. Montgomery, C.F. Zimmerman, and C.A. Short. 1993. Production and Nutrient Dynamics of a *Syringodium filiforme* Kutz. Seagrass Bed in Indian River Lagoon, Florida. *Estuaries* 16(2): 323-334.
- Snedaker, S., D. de Sylva, and D. Cottrell. 1977. A Review of the Role of Freshwater in Estuarine Ecosystems. Miami, Florida: University of Miami, p. 126.
- Springer, V.G. and K.D. Woodburn. 1960. An ecological study of the fishes of the Tampa Bay area. St. Petersburg, Florida. Florida State Board. Conserv. Mar. Res. Lab. Prof. Paper Ser. 1:1-104.
- St. Johns River Water Management District (SJRWMD) and South Florida Water Management District (SFWMD). 1994. Surface water improvement and management (SWIM) plan for the Indian River Lagoon. St. Johns River Water Management District and South Florida Water Management District.
- St. Lucie County Board of County Commissioners. 1994. St. Lucie Comprehensive Plan Update, Coastal Management Element and Future Land Use Element.
- Stevenson, J. Court, L.W. Staver, and K.W. Staver. 1993. Water Quality Associated With Survival of Submersed Aquatic Vegetation Along an Estuarine Gradient. *Estuaries* 16(2): 346-361.
- Stickle, W.B., M.A. Kapper, L. Liu, E. Gnaiger, and S.Y. Wang. 1989. Metabolic adaptations of several species of crustaceans and molluscs to hypoxia: tolerance and microcalorimetric studies. *Biol. Bull.* : 177:303-312.
- Stoker, Y.E. 1986. Water Quality of the Charlotte Harbor Estuarine System, Florida, November 1982 through October 1984. U.S. Geological Survey, Prepared in cooperation with the Florida Department of Environmental Regulation 85-563. 213p.
- Stoker, Y.E., and G.A. Karavitis. 1983. Literature Assessment of the Charlotte Harbor Estuarine System and Surrounding Area. U.S. Department of the Interior Geological Survey 83-127: 134.
- Stoker, Y.E., S.E. Henderson and B.F. McPherson. 1989. Hydraulic and salinity characteristics of the tidal reach of the Peace River, southwestern Florida. U. S. Geological Survey Water-Resources Investigations Report 88-4162, 37pp., 26 figs., 4 tabs.
- Stoker, Y.E. 1992. Salinity distribution and variation with freshwater inflow and tide, and potential changes in salinity due to altered freshwater inflow in the Charlotte Harbor estuarine system, Florida. U.S. Geological Survey, Water-Resources Investigations Report, 92-4062, 30pp.
- Stoner, A.W. 1980. Feeding ecology of *Lagodon rhomboides*, Pisces: Sparidae: variation and functional responses. *U.S. Fish. Bull.* 782:337-352.

- Storey, M. 1937. The relation between normal range and mortality due to cold at Sanibel Island, Florida. *Ecology* 18 (1): 10-26.
- Taylor, J.L. 1975. The Charlotte Harbor estuarine system: *Florida Scientist*, 37 (4), p. 205-216.
- Taylor, R. G., J. A. Whittington, and H. J. Grier. 1993. Biology of the common snook from the east and west coasts of Florida. (Abstract) Snook Symposium 1993, Mote Marine Laboratory, April 15-16, 1993.
- Taylor, R. G., and H. J. Grier. 1993. Protandric hermaphroditism in the common snook. (Abstract) Snook Symposium 1993, Mote Marine Laboratory, April 15-16, 1993.
- Thayer, G.W., D.R. Colby, W.F. Hettler, Jr. 1987. Utilization of the red mangrove prop root habitat by fishes in south Florida. *Mar. Ecol. Prog. Ser.* 35:25-38.
- Tomasko, D.A., M.O. Hall-Ruark and J.R. Hall. In press. Abundance and productivity of the seagrass *Thalassia testudinum* along a gradient of freshwater influence in Charlotte Harbor, Florida(USA). Charlotte Harbor NEP Symposium, 15 pp., 7 figs.
- U.S. Department of Agriculture. 1984. Soil Survey of Lee County, Florida. Soil Conservation Service, U.S. Government Printing Office. 185 pp.
- U.S. Fish and Wildlife Service, 1989. Florida Manatee (*Trichechus manatus latirostris*) recovery plan. Atlanta, GA. 98pp., 3 Figs., 2 Tabs.
- U.S. Corps of Engineers. 1994. Central and Southern Florida Project Review Study News. June, 27 pp.
- U.S. Department of Agriculture. 1984. Soil Survey of Polk County, Florida. Soil Conservation Service, U.S. Government Printing Office. 185 pp.
- U.S. Department of Agriculture. 1990. Soil Survey of Polk County, Florida. Soil Conservation Service, U.S. Government Printing Office. 235 pp.
- U.S. Department of Agriculture. 1983. Soil Survey of Manatee County, Florida. Soil Conservation Service, U.S. Government Printing Office. 159 pp.
- Volpe, A. V. 1959. Aspects of the biology of the common snook, *Centropomus undecimalis* Bloch, of southwest Florida. Fla. Board Conserv. Tech. Ser. No. 31. 37 pp.

- Voughlitois, J.J., I.W. Able, R.J. Kurtz, and K.A. Tighe. 1987. Life history and population dynamics of the bay anchovy in New Jersey. *Trans. Amer. Fish. Soc.* 116(2):141-153.
- Wang, J.C.S. and E.C. Raney. 1971. Distribution and fluctuations in the fish fauna of the Charlotte Harbor estuary, Florida. Charlotte Harbor Estuarine Studies, Mote Marine Lab., 56 pp.
- Wang, J.C.S. and R.J. Kernehan. 1979. Fishes of the Delaware estuaries: A guide to early life histories. E.A. Communication. Ecological Analysts, Inc., Towson, MD.
- Warburton, K. 1978. Community structure, abundance and diversity of fish in a Mexican coastal lagoon system. *Estuarine and Coastal Marine Science*, 7 (6): 497-519.
- Weigle, B.L., J.E Reynolds III, G.W. Patton, and J.R. Wilcox. 1988. Manatee (*Trichechus manatus*) winter use of warm water discharges in Tampa Bay. Pages 153-164 in K. Mahadevan, R. K. Evans, P. Behrens, T. Biffar and L. Olsen, eds. Proceedings of Southeastern Workshop on Aquatic Ecological Effects of Power Generation, December 1986. Report No. 124, Mote Marine Laboratory, 1600 City Island Park, Sarasota, FL 546 pp.
- Weinstein, M.P., K.L. Keck, Jr., P.E. Giebel, and J.E. Gates. 1982. The role of herbivory in Finfish *Lagodon rhomboides*: a preliminary investigations. *Bull. Mar. Sci.* 323:791795.
- Widdows, J., R.I.E. Newell, and R. Mann. 1989. Effects of hypoxia and anoxia on survival, energy metabolism, and feeding of oyster larvae (*Crassostrea virginica*, Gmelin). *Biol. Bull.* 177:154-166.
- Williams, C.D., D.M. Nelson, L.C. Clements, M.E. Monaco, S.L. Stone, L.R. Settle, C. Iancu, and E.A. Irlandi. 1990. Distribution and Abundance of Fishes and Invertebrates in Eastern Gulf of Mexico Estuaries. ELMR Rpt. No. 6. Strategic Assessment Branch, NOS/NOAA. Rockville, MD. : 105 pp.
- Wolda, H. 1981. Similarity indices, sample size and diversity. *Oecologia* 50: 296-302.
- Young, D.K. and M.W. Young. 1977. Community structure of the macro benthos associated with seagrass of the Indian River estuary, Florida. In: B.C. Coull editor, Ecology of marine benthos. Belle W. Baruch Library in Marine Science 6, Univ. S. C. Press, Columbia.
- Young, D.K., M.A. Buzas, and M.W. Young. 1976. Species densities of macro benthos associated with seagrass: a field experimental study of predation. *J. Mar. Res.* 34:577-592.
- Zarbock, H.W., A.J. Janicki, D.W. Wade, and D.G. Heimbuch. 1994. Estimates of Total Nitrogen, Total Phosphorus, and Total Suspended Solids Loadings to Tampa Bay, Florida. Prepared for: Tampa Bay National Estuary Program, St. Petersburg, FL. Prepared by: Coastal Environmental, Inc. St. Petersburg, FL.